


NOTES:


1. FOR GENERAL STEELWORK NOTES REFER TO DRAWING 104693-00-S-101-0
2. ALL FILLET WELD SHALL BE AS FOLLOW (UNO):
- 6mm CFW FOR < = 12mm PLATE.
 - 8mm CFW FOR 16mm PLATE.
 - 10mm CFW FOR > 16mm PLATE.
3. BOLT HOLES SHALL BE 22 mm DIAMETER FOR STRUCTURAL STEEL (UNO).

MATERIAL LIST FOR ONE ASSEMBLY MK'D				A12005	2	No. Required
Mark	Size	Grade	No.	Length	Area	Weight
m12006	PFC150*75	300PLUS	1	932	0.5	16.46
m12007	20 ROUND BAR	300PLUS	2	54	0.0	0.22
p12002	PLT10*69	250	2	140	0.0	0.95
p12004	FL10*75	250	2	75	0.0	0.88
				Total	0.6	18.51




2 BEAM[S] REQ'D AS DRAWN MK A12005
Finish - REFER PAINT SPECS

0	08.04.2024	ISSUED FOR FABRICATION
A	27.03.2024	ISSUED FOR APPROVAL
REV	DATE	DESCRIPTION



www.dm-group.com.au



DRAWING CHECKLIST		CLIENT DETAILS	DRAWING No: A12005	
DRAWN BY: DMG	DRAWN DATE: 08.04.2024			
CHECKED BY:	CHECKED DATE:			
ENG APPROVAL	APPROVED DATE:			
CLIENT APPROVAL	APPROVED DATE:	RAVENSWOOD GOLD CARBON TRANSFER SYSTEM	INTERNAL JOB NUMBER: 09-2084	
			SCALE: 1:10	
			SHEET SIZE: A3	
			DRAWING ISSUE DATE: 26.03.2024	
		FABRICATION DETAIL SERIES 12000	LATEST REVISION: 0	