


NOTES:

1. FOR GENERAL STEELWORK NOTES REFER TO DRAWING 104693-00-S-101-0
2. ALL FILLET WELD SHALL BE AS FOLLOW (UNO):
- 6mm CFW FOR < = 12mm PLATE.
 - 8mm CFW FOR 16mm PLATE.
 - 10mm CFW FOR > 16mm PLATE.
3. BOLT HOLES SHALL BE 22 mm DIAMETER FOR STRUCTURAL STEEL (UNO).

MATERIAL LIST FOR ONE ASSEMBLY MK'D				A12004	1	No. Required
Mark	Size	Grade	No.	Length	Area	Weight
m12005	UB200*22	300PLUS	1	1267	1.2	28.55
p12001	PLT10*60	250	4	186	0.1	3.38
				Total	1.3	31.93



1 BEAM[S] REQ'D AS DRAWN MK A12004
Finish - REFER PAINT SPECS

0	08.04.2024	ISSUED FOR FABRICATION
A	27.03.2024	ISSUED FOR APPROVAL
REV	DATE	DESCRIPTION



DRAWING CHECKLIST	
DRAWN BY:	DRAWN DATE:
DMG	12.04.2024
CHECKED BY:	CHECKED DATE:
ENG APPROVAL	APPROVED DATE:
CLIENT APPROVAL	APPROVED DATE:

CLIENT DETAILS	
RAVENSWOOD GOLD CARBON TRANSFER SYSTEM	
FABRICATION DETAIL SERIES 12000	

DRAWING No:	
A12004	
INTERNAL JOB NUMBER:	
09-2084	
SCALE	1:10
SHEET SIZE	A3
DRAWING ISSUE DATE	26.03.2024
LATEST REVISION	O