


NOTES:

1. FOR GENERAL STEELWORK NOTES REFER TO DRAWING 104693-00-S-101-0
2. ALL FILLET WELD SHALL BE AS FOLLOW (UNO):
- 6mm CFW FOR <= 12mm PLATE.
  - 8mm CFW FOR 16mm PLATE.
  - 10mm CFW FOR > 16mm PLATE.
3. BOLT HOLES SHALL BE 22 mm DIAMETER FOR STRUCTURAL STEEL (UNO).

MATERIAL LIST FOR ONE ASSEMBLY MK'D				H2004	3	No. Required
Mark	Size	Grade	No.	Length	Area	Weight
hp2002	FL6*100	250	1	109	0.0	0.54
				Total	0.0	0.54



3 KICKPLATE\_BRACKET[S] REQ'D AS DRAWN MK H2004  
Finish - H.D.G.

0	05.04.2024	ISSUED FOR FABRICATION
A	21.03.2024	ISSUED FOR APPROVAL
REV	DATE	DESCRIPTION



www.dm-group.com.au



RESOURCES

DRAWING CHECKLIST		CLIENT DETAILS		DRAWING No.	
DRAWN BY	DRAWN DATE	RAVENSWOOD GOLD		H2004	
DMG	21.03.2024	CARBON TRANSFER SYSTEM		INTERNAL JOB NUMBER:	
CHECKED BY	CHECKED DATE			09-2084	
ENG APPROVAL	APPROVED DATE			SCALE	1:10
				SHEET SIZE	A4
CLIENT APPROVAL	APPROVED DATE	HANDRAIL DETAIL		DRAWING ISSUE DATE	01.03.2024
		SERIES 2000 - TK-002 PUMP FRAME		LATEST REVISION	0