


NOTES:

1. FOR GENERAL STEELWORK NOTES REFER TO DRAWING 104693-00-S-101-0
2. ALL FILLET WELD SHALL BE AS FOLLOW (UNO):
- 6mm CFW FOR < = 12mm PLATE.
 - 8mm CFW FOR 16mm PLATE.
 - 10mm CFW FOR > 16mm PLATE.
3. BOLT HOLES SHALL BE 22 mm DIAMETER FOR STRUCTURAL STEEL (UNO).

MATERIAL LIST FOR ONE ASSEMBLY MK'D				A4001	1	No. Required
Mark	Size	Grade	No.	Length	Area	Weight
m4001	UB200*25	300PLUS	1	3477	3.2	88.16
p4001	PLT10*60	250	4	185	0.1	3.37
p4003	FL6*100	250	1	60	0.0	0.28
				Total	3.3	91.81



1 BEAM[S] REQ'D AS DRAWN MK A4001
Finish - REFER PAINT SPECS

0	05.04.2024	ISSUED FOR FABRICATION
A	22.03.2024	ISSUED FOR APPROVAL
REV	DATE	DESCRIPTION



DRAWING CHECKLIST	
DRAWN BY:	DRAWN DATE:
DMG	05.04.2024
CHECKED BY:	CHECKED DATE:
ENG APPROVAL	APPROVED DATE:
CLIENT APPROVAL	APPROVED DATE:

CLIENT DETAILS	
RAVENSWOOD GOLD	
CARBON TRANSFER SYSTEM	
FABRICATION DETAIL	
SERIES 4000 - TK-004 ACCESS PLATFORM	

DRAWING No:	A4001
INTERNAL JOB NUMBER:	09-2084
SCALE	1:10
SHEET SIZE	A3
DRAWING ISSUE DATE	04.03.2024
LATEST REVISION	0