


NOTES:

1. FOR GENERAL STEELWORK NOTES REFER TO DRAWING 104693-00-S-101-0
2. ALL FILLET WELD SHALL BE AS FOLLOW (UNO):
- 6mm CFW FOR <= 12mm PLATE.
 - 8mm CFW FOR 16mm PLATE.
 - 10mm CFW FOR > 16mm PLATE.
3. BOLT HOLES SHALL BE 22 mm DIAMETER FOR STRUCTURAL STEEL (UNO).

MATERIAL LIST FOR ONE ASSEMBLY MK'D				H1003	3	No. Required
Mark	Size	Grade	No.	Length	Area	Weight
hp1003	FL6*100	250	1	109	0.0	0.54
				Total	0.0	0.54



3 KICKPLATE_BRACKET[S] REQ'D AS DRAWN MK H1003
Finish - REFER PAINT SPECS

0	05.04.2024	ISSUED FOR FABRICATION
A	21.03.2024	ISSUED FOR APPROVAL
REV	DATE	DESCRIPTION



DRAWING CHECKLIST	
DRAWN BY	DWG DATE
DMG	21.03.2024
CHECKED BY	CHECKED DATE
ENG APPROVAL	APPROVED DATE
CLIENT APPROVAL	APPROVED DATE

CLIENT DETAILS	
RAVENSWOOD GOLD CARBON TRANSFER SYSTEM	
HANDRAIL DETAIL SERIES 1000 - TK-001 PUMP FRAME	

DRAWING NO:	
H1003	
INTERNAL JOB NUMBER:	
09-2084	
SCALE	1:10
SHEET SIZE	A4
DRAWING ISSUE DATE	26.02.2024
LATEST REVISION	0